

Supplementary data

Antioxidant, Anti- α -glucosidase, Anti-tyrosinase, and Anti-acetylcholinesterase Components from Stem of *Rhamnus formosana* with Molecular Docking Study

Chia-Hsuan Tsai¹, **Ya-Lun Liou**^{2,†}, **Sin-Min Li**^{2,†}, **Hsiang-Ruei Liao**^{3,4,5,*}, and **Jih-Jung Chen**^{2,6,7,*}


- ¹ Department of Plastic and Reconstructive Surgery, Keelung Chang Gung Memorial Hospital, Keelung 204201, Taiwan; and College of Medicine, Chang Gung University, Taoyuan 333323, Taiwan; chtsai0715@gmail.com
- ² Department of Pharmacy, School of Pharmaceutical Sciences, National Yang Ming Chiao Tung University, Taipei 112304, Taiwan; muset311386@gmail.com (Y.-L.L.); samuel147samuel147@gmail.com (S.-M.L.)
- ³ Graduate Institute of Natural Products, College of Medicine, Chang Gung University, Taoyuan 333323, Taiwan; liaoch@mail.cgu.edu.tw
- ⁴ Graduate Institute of Biomedical Sciences, College of Medicine, Chang Gung University, Taoyuan 333323, Taiwan
- ⁵ Department of Anesthesiology, Chang Gung Memorial Hospital, Taoyuan 333323, Taiwan
- ⁶ Department of Medical Research, China Medical University Hospital, China Medical University, Taichung 404333, Taiwan
- ⁷ Traditional Herbal Medicine Research Center, Taipei Medical University Hospital, Taipei 110301, Taiwan

* Correspondence: jjungchen@nycu.edu.tw (J.-J.C.), liaoch@mail.cgu.edu.tw (H.-R.L.); Tel.: +886-2-2826-7195 (J.-J.C.); Fax: +886-2-2823-2940 (J.-J.C.)


† These authors contributed equally to this work.

Contents


Supplementary Fig. 1. The ^1H -NMR spectrum (400 MHz, methanol- d_4) of kaempferol (1).....	S3
Supplementary Fig. 2. The ^1H -NMR spectrum (400 MHz, acetone- d_6) of quercetin (2).....	S3
Supplementary Fig. 3. The ^1H -NMR spectrum (400 MHz, acetone- d_6) of emodin (3)	S4
Supplementary Fig. 4. The ^1H -NMR spectrum (400 MHz, chloroform- d) of chrysophanol (4)...	S4
Supplementary Fig. 5. The ^1H -NMR spectrum (400 MHz, chloroform- d) of physcion (5).....	S5




Supplementary Fig. 1. The ^1H -NMR spectrum (400 MHz, methanol- d_4) of kaempferol (1).




Supplementary Fig. 2. The ^1H -NMR spectrum (400 MHz, acetone- d_6) of quercetin (2).



Supplementary Fig. 3. The ¹H-NMR spectrum (400 MHz, acetone-*d*₆) of emodin (3).



Supplementary Fig. 4. The ¹H-NMR spectrum (400 MHz, chloroform-*d*) of chrysophanol (4).



Supplementary Fig. 5. The ¹H-NMR spectrum (400 MHz, chloroform-*d*) of physcion (5).